


DEPARTMENT OF ENVIRONMENTAL SERVICES
CITY AND COUNTY OF HONOLULU

1000 ULUOHIA STREET, SUITE 308, KAPOLEI, HAWAII 96707
TELEPHONE: (808) 768-3486 • FAX: (808) 768-3487 • WEBSITE: <http://envhonolulu.org>



RICK BLANGIARDI
MAYOR

WESLEY T. YOKOYAMA, P.E.
DIRECTOR

MICHAEL O'KEEFE
DEPUTY DIRECTOR

ROSS S. TANIMOTO, P.E.
DEPUTY DIRECTOR

IN REPLY REFER TO:

October 25, 2021

WEC.PE 21-039

Ms. Mary Alice Evans, Director
Environmental Review Program
Office of Planning and Sustainable Development
Department of Business, Economic Development and Tourism
235 South Beretania Street, Suite 702
Honolulu, Hawaii 96813

Dear Ms. Evans:

SUBJECT: Draft Environmental Assessment and Anticipated Finding of No Significant Impact
Waianae Wastewater Treatment Plant Outfall Improvements and Rehabilitation
Waianae District, Island of Oahu, Hawaii

With this letter, the City and County of Honolulu Department of Environmental Services, Division of Wastewater Engineering and Construction hereby transmits the Draft Environmental Assessment and Anticipated Finding of No Significant Impact (DEA-AFONSI) for the proposed Waianae Wastewater Treatment Plant Outfall Improvements and Rehabilitation project on the Island of Oahu for publication in the next available edition of *The Environmental Notice*.

In addition to this letter, the Environmental Review Program's online Publication Form has been completed and submitted with one electronic copy of the DEA-AFONSI as an Adobe Acrobat PDF file.

Should you have any questions, please contact Cindy Masuoka, Project Manager of the Division of Wastewater Engineering and Construction at (808) 768-8761 or via email at cmasuoka@honolulu.gov.

Sincerely,

A handwritten signature in dark ink, appearing to read "Wesley T. Yokoyama", is written over a horizontal line.

Wesley T. Yokoyama, P.E.
Director